

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.07.2015

Version number 2

Revision: 17.07.2015

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Spezial Fliessfett ZSA KHCP00G-40

- · Article number: 30989
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- · Application of the substance / the mixture Grease

 $\cdot$  1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier: SWD Lubricants GmbH & Co.KG Am Schlütershof 26 D-47059 Duisburg Tel: 0049 (0)203 31919-0 Fax: 0049 (0)203 31919-99 E-mail:info@swd-gmbh.de
- Further information obtainable from: Department product safety sdb@swd-gmbh.de
- 1.4 Emergency telephone number: Informationszentrale gegen Vergiftungen Uni - Klinikum Bonn; Notfall - Nr.: +49 228 19 240

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008
- The product is not classified according to the CLP regulation.

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

Contains Reaction products of 4-methy-2pentanol and diphosphoros pentasulfide, propoxylated, esterifield with diphosphorus pentaoxide, and salted by amines, C12-14-tert-alkyl (EG-Nr. 931-384-6). May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

#### **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

- Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

Reaction products of 4-methy-2pentanol and diphosphoros pentasulfide, propoxylated, esterifield<br/>with diphosphorus pentaoxide, and salted by amines, C12-14-tert-alkyl (EG-Nr. 931-384-6) $\leq 1.0\%$  $\Leftrightarrow$  Eye Dam. 1, H318;  $\diamondsuit$  Aquatic Chronic 2, H411;  $\diamondsuit$  Acute Tox. 4, H302; Skin Sens. 1, H317

· SVHC None

• Additional information: For the wording of the listed risk phrases refer to section 16.

(Contd. on page 2)

GB

<sup>· 2.2</sup> Label elements



Printing date 17.07.2015

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 2

Revision: 17.07.2015

Trade name: Spezial Fliessfett ZSA KHCP00G-40

(Contd. of page 1)

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information: Take affected persons out of danger area and lay down.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- $\cdot$  After skin contact: Immediately wash with water and soap and rinse thoroughly.
- $\cdot \textit{After eye contact: Rinse opened eye for several minutes under running water.}$
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray.

- Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: Carbonmonoxide and Carbondioxide
- · 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Keep people at a distance and stay on the windward side.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling Avoid the formation of oil haze.
- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Note Regulation on facilities for the storage, filling and handling water-polluting substances...
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Storage in a collecting room is required.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 3)



Printing date 17.07.2015

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 2

Revision: 17.07.2015

#### Trade name: Spezial Fliessfett ZSA KHCP00G-40

(Contd. of page 2)

**SECTION 8: Exposure controls/personal protection** 

· Additional information about design of technical facilities: No further data; see item 7. · 8.1 Control parameters • Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. • Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Personal protective equipment: • General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. · Respiratory protection: Not required. · Protection of hands: Preventive skin protection by use of skin-protecting agents is recommended. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Not suitable are gloves made of the following materials: Leather gloves

• Eye protection: Not required.

### **SECTION 9: Physical and chemical properties**

General Information	-1	
Appearance:	clear	
Form:	Pasty	
Colour:	Light brown	
Odour:	Mineral-oil-like	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Pour point	Not applicable	
Flash point:	> 150 °C (DIN ISO 2592)	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Self-igniting:	Not determined.	



Printing date 17.07.2015

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 2

Revision: 17.07.2015

#### Trade name: Spezial Fliessfett ZSA KHCP00G-40

	(Contd. of page 3	
· Danger of explosion:	Product does not present an explosion hazard.	
	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not applicable.	
· Density at 20 •C:	1 g/cm <sup>3</sup> (DIN 51757)	
· Relative density	Not determined.	
· Vapour density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Insoluble.	
· Partition coefficient (n-octanol/w	ater): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
• 9.2 Other information	No further relevant information available.	

#### SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions
- Reacts with oxidising agents.
- Reacts with strong oxidising agents.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

#### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values relevant for classification: Rat oral : > 2000 mg/kg (Concawe Product dossier 01/54)
- · Primary irritant effect:
- Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation No irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- Additional toxicological information:
  - The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

(Contd. on page 5)

GB



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.07.2015

#### Version number 2

Revision: 17.07.2015

#### Trade name: Spezial Fliessfett ZSA KHCP00G-40

(Contd. of page 4)

• CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

#### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

• Aquatic toxicity:

The product spreads out on the surface of the water. A small fraction of the constituents will be dissolved. It prevents the solution of oxygen and can cause the death of water organismn.

- · 12.2 Persistence and degradability Not easily biodegradable
- · 12.3 Bioaccumulative potential

Due to the distribution coefficient n-octanol/water a worth-mentioning accumulation in organisms is not expected.

- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- Remark: The product can easily be separated by an oil separator (skimmer) of the water surface.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

• *Recommendation* Delivery of waste oil to offically authorised collectors only.

· European waste catalogue

13 08 99\* wastes not otherwise specified

• Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

· 14.1 UN-Number		
· ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
· ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.07.2015

Version number 2

Revision: 17.07.2015

(Contd. of page 5)

#### Trade name: Spezial Fliessfett ZSA KHCP00G-40

· 14.6 Special precautions for user

Not applicable.

· 14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation":

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Additional classification according to Decree on Hazardous Materials, Annex II:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

- · Information about limitation of use: none
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H411 Toxic to aquatic life with long lasting effects.

· Department issuing MSDS: Product safety

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Acute Tox. 4: Acute toxicity, Hazard Category 4 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 · Sources Concawe Product Dossier No.97/108. Concawe Product Dossier Nn. 01/54.

• \* Data compared to the previous version altered.