

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.05.2015

Version number 2

Revision: 11.05.2015

 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable. Information concerning particular hazards for human and environment: 	•	SECTION 1: Identification of the substance/mixture and of the company/undertaking
 Article number: 32145 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture 2T Oil 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SWD Lubricants GmbH & Co.KG An Schütershof 26 D-47059 Duisburg Tei: 0049 (0)203 31919-09 E-mail:info@swod.gmbh.de Further information obtainable from: Depariment product safety sab@swd.gmbh.de I of Emergency telphone number: Informationszentrale gegen Vergiftungen Uni - Klinikum Bonn; Notfall - Nr.: +49 228 19 240 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification of the substance or mixture Classification of the substance or mixture Classification of the substance or bixture Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation. Classification according to Theretive 6/5148/EEC to Directive 1999/45/EC Not applicable. Information concerning particular hazards for human and environment: The product is not have to be labelled due to the calculation procedure of the "General Classification guideling for preparations of the LU" in the latest valid version. When appropriately and responsible handled, the product should not be dangerous for theerwironment. In case of spillage or inappropriate use, it may however impair water and soil properties. Classification is according to the latest editions of the EU-lists, and extended by company and literature data. 2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.		1.1 Product identifier
 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture 2T Oil 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SWD Lubricants GmbH & Co.KG Am Schlütershof 26 D.47059 Duisburg Tel : 0049 (0)203 31919-0 Fax: 0049 (0)203 31919-0 E-mail:info@swd-gmbh.de Further information obtainable from: Department product safety sdb@swd-gmbh.de I.4 Emergency telephone number: Informationszentrale gegen Vergiftungen Uni - Klinikum Bonn: Notfall - Nr.: +49 228 19 240 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable. Information concerning particular hazards for human and environment: The product loses not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. When appropriately and responsible handled, the product should not be dangerous for the environment. In case of spillage or inappropriate use, it may however impair water and soil properties. Classification is according to the latest editions of the EU-lists, and extended by company and literature data. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Vold Hazard statements Vold 2.3 Other hazards Kesults of PBT and vPvB assessment PBT: None PVB: None 		· Trade name: <u>Twoke Premix TC</u>
 Manufacturer/Supplier: SWD Lubricants GmbH & Co.KG Am Schlütershof 26 D-47059 Duisburg Tel : 0049 (0)203 31919-90 E-mail:info@swd-gmbh.de Further information obtainable from: Department product safety sdb@swd-gmbh.de Further information obtainable from: Department product safety sdb@swd-gmbh.de I & Emergency telephone number: Informationszentrale gegen Vergiftungen Uni - Klinikum Bonn; Notfall - Nr.: +49 228 19 240 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation. Classification according to Directive 67/548/EEC or Directive 199945/EC Not applicable. Information concerning particular hazards for human and environment: The product los not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. When appropriately and responsible handled, the product should not be dangerous for the environment. In case of spillage or inappropriate use, it may however impair water and soil properties. Classification is according to the latest editions of the EU-lists, and extended by company and literatur data. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard statements Void Signal word Void Hazard statements Void S.1 Chemical characterisation: Substances CAS MDer hazards Cassification size cording to (petroleum), C20-50, hydrotreated neutral oil-based, high-viscosity Heurification miner(s) 		• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
Department product safety sdb@swd-gmbh.de 1.4 Emergency telephone number: Informationszentrale gegen Vergiftungen Uni - Klinikum Bonn; Notfall - Nr.: +49 228 19 240 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable. Information concerning particular hazards for human and environment: The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. When appropriately and responsible handled, the product should not be dangerous for the environment. In case of spillage or inappropriate use, it may however impair water and soil properties. Classification is according to the latest editions of the EU-lists, and extended by company and literature data. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void 3.3 Other hazards Results of PBT and vPvB assessment PBT; None vPvB; None SECTION 3: Composition/information on ingredients 3.1 Chemical characterisation: Substances CAS No. Description 7263-83-7 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, high-viscosity Hadenification number(s)		Manufacturer/Supplier: SWD Lubricants GmbH & Co.KG Am Schlütershof 26 D-47059 Duisburg Tel: 0049 (0)203 31919-0 Fax: 0049 (0)203 31919-99
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable. Information concerning particular hazards for human and environment: The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. When appropriately and responsible handled, the product should not be dangerous for the environment. In case of spillage or inappropriate use, it may however impair water and soil properties. Classification is according to the latest editions of the EU-lists, and extended by company and literatur data. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards Results of PBT and vPvB assessment PBT: None VPvB: None 		Department product safety sdb@swd-gmbh.de · 1.4 Emergency telephone number:
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable. Information concerning particular hazards for human and environment: The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. When appropriately and responsible handled, the product should not be dangerous for the environment. In case of spillage or inappropriate use, it may however impair water and soil properties. Classification is according to the latest editions of the EU-lists, and extended by company and literatur data. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards Results of PBT and vPvB assessment PBT: None VPvB: None 	ĸ	SECTION 2: Hazards identification
 Information concerning particular hazards for human and environment: The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. When appropriately and responsible handled, the product should not be dangerous for the environment. In case of spillage or inappropriate use, it may however impair water and soil properties. Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards Results of PBT and vPvB assessment PBT: None vPvB: None 		· Classification according to Regulation (EC) No 1272/2008
 Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards Results of PBT and vPvB assessment PBT: None vPvB: None SECTION 3: Composition/information on ingredients 3.1 Chemical characterisation: Substances CAS No. Description 72623-83-7 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, high-viscosity Identification number(s) 		 Information concerning particular hazards for human and environment: The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. When appropriately and responsible handled, the product should not be dangerous for the environment. In case of spillage or inappropriate use, it may however impair water and soil properties. Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature
 • 3.1 Chemical characterisation: Substances • CAS No. Description 72623-83-7 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, high-viscosity • Identification number(s) 		 Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards Results of PBT and vPvB assessment PBT: None
· Identification number(s)	-	· 3.1 Chemical characterisation: Substances · CAS No. Description
		oil-based, high-viscosity
• EC number: 2/0-/33-8		· Identification number(s) · EC number: 276-735-8
(Contd. on page 2		(Contd. on page 2) GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.05.2015

Version number 2

Revision: 11.05.2015

Trade name: Twoke Premix TC

· 3.2 Chemical character	isation: Mixtures	ontd. of page
• Description: Preparation • Dangerous components	on of base oils, dearomaticised kerosenes and special additives.	
CAS: 64742-47-8 EINECS: 265-149-8	Distillates (petroleum), hydrotreated light Xn R65 R66	2.5-10%
CAS: 68610-84-4 EINECS: 271-877-7	 Flam. Liq. 3, H226; Asp. Tox. 1, H304 Benzenesulfonic acid, propenated, calcium salt, overbased Xi R43 	<i>≤</i> 1.0%
	R53 () Skin Sens. 1, H317; Aquatic Chronic 4, H413	
EC number: 310-154-3	Alkylphenol Xn R62; Xi R38; N R50/53 Repr. 2, H361; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315	<i>≤</i> 1.0%

• Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

 \cdot 4.1 Description of first aid measures

· General information: Take affected persons out of danger area and lay down.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released:
- In case of fire, the following can be releaded to the carbon the c
- 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.
- · Additional information
- Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Keep people at a distance and stay on the windward side.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections See Section 7 for information on safe handling.

(Contd. on page 3)

GB



Printing date 11.05.2015

Safety data sheet according to 1907/2006/EC, Article 31

Version number 2

Revision: 11.05.2015

(Contd. of page 2)

Trade name: Twoke Premix TC

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Avoid the formation of oil haze.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Note Regulation on facilities for the storage, filling and handling water-polluting substances...
 Information about storage in one common storage facility:
- Store away from oxidising agents. Store away from foodstuffs.
- *Further information about storage conditions:* Store receptacle in a well ventilated area. Storage in a collecting room is required.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace: Oilfog and Oilfumes TLV-8h-TWA 5mg/m³

TLV-8h-TWA 5mg/m³ TLV-15min-STEL 10mg/m³

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- · Respiratory protection: Not required.
- · Protection of hands:

Prior to working with gloves the rubbing in with tanniferous skin-protecting agents for the avoidance of skin softening due to perspiration is recommended.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the

degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- \cdot For the permanent contact gloves made of the following materials are suitable:
- Fluorocarbon rubber (Viton)
- · For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Natural rubber, NR

- \cdot Not suitable are gloves made of the following materials: Leather gloves
- Eye protection: Goggles recommended during refilling

(Contd. on page 4)

GB

Store Rheinol®

Printing date 11.05.2015

Safety data sheet according to 1907/2006/EC, Article 31

Version number 2

Revision: 11.05.2015

(Contd. of page 3)

Trade name: Twoke Premix TC

· Body protection: Protective work clothing

SECTION 9: Physical and ch	emical properties
• 9.1 Information on basic physical a	und chemical properties
· General Information	
Appearance:	clear
· Form:	Fluid
· Colour:	Different according to colouring
· Odour:	Mineral-oil-like
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Pour point	-32 °C (DIN ISO 3016)
Flash point:	84 °C (DIN ISO 2592)
· Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	210 °C (DIN 14522)
Decomposition temperature:	Not determined.
Self-igniting:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapou mixtures are possible.
Explosion limits:	
Lower:	0.5 Vol % (DIN EN 1839)
Upper:	6.5 Vol % (DIN EN 1839)
Vapour pressure at 20 °C:	2 hPa
Density at 20 °C:	0.866 g/cm ³ (DIN 51757)
Relative density	Not determined.
· Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.0 %
VOC (EC)	0.00 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 5)

GB



Printing date 11.05.2015

Safety data sheet according to 1907/2006/EC, Article 31

Version number 2

Revision: 11.05.2015

Trade name: Twoke Premix TC

(Contd. of page 4)

- 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values relevant for classification: Rat oral : > 2000 mg/kg (Concawe Product dossier 01/54)
- · Primary irritant effect:
- Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation No irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

The product spreads out on the surface of the water. A small fraction of the constituents will be dissolved. It prevents the solution of oxygen and can cause the death of water organismn.

- · 12.2 Persistence and degradability Not easily biodegradable
- · 12.3 Bioaccumulative potential

Due to the distribution coefficient n-octanol/water an accumulation in organisms is not expected.

- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- Remark: The product can easily be separated by an oil separator (skimmer) of the water surface.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** None
- · vPvB: None
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Delivery of waste oil to offically authorised collectors only.
- · European waste catalogue

13 02 05* mineral-based non-chlorinated engine, gear and lubricating oils

(Contd. on page 6)



Printing date 11.05.2015

Safety data sheet according to 1907/2006/EC, Article 31

Version number 2

Revision: 11.05.2015

Trade name: Twoke Premix TC

(Contd. of page 5)

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport information · 14.1 UN-Number Void · ADR, ADN, IMDG, IATA · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA Void · 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class Void · 14.4 Packing group · ADR, IMDG, IATA Void · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Not applicable. · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · UN "Model Regulation": _

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Labelling according to Regulation (EC) No 1272/2008 Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void

· National regulations:

• Additional classification according to Decree on Hazardous Materials, Annex II:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Information about limitation of use: none

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H361 Suspected of damaging fertility or the unborn child.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 7)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.05.2015

Version number 2

Revision: 11.05.2015

Trade name: Twoke Premix TC

R38 Irrita R43 May R50/53 Very R53 May R62 Posst R65 Harn R66 Repe Department Abbreviation ADR: Accord et Carriage of Dat MDG: Internatio GHS: Globally EINECS: Europ ELINCS: Europ ELINCS: Europ ELINCS: Europ CAS: Chemical VOC: Volatile C LC50: Lethal do Flam. Liq. 3: FI Skin Irrit. 2: Ski Skin Sens. 1: Se	cause long lasting harmful effects to aquatic life. ting to skin. cause sensitisation by skin contact. toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. cause long-term adverse effects in the aquatic environment. ble risk of impaired fertility. aful: may cause lung damage if swallowed. ated exposure may cause skin dryness or cracking. issuing MSDS: Product safety s and acronyms: propéen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International igerous Goods by Road) tional Maritime Code for Dangerous Goods mal Air Transport Association Harmonised System of Classification and Labelling of Chemicals ean Inventory of Existing Commercial Chemical Substances
R43 May R50/53 Very R53 May R62 Possi R65 Harn R66 Repe Department Abbreviation ADR: Accord et Carriage of Dat Carriage of Dat (ADG: Internatic GHS: Globally EINECS: Europ ELINCS: Europ ELINCS: Europ ELINCS: Europ CAS: Chemical VOC: Volatile C LC50: Lethal de CL50: Lethal de Flam. Liq. 3: FI Skin Irrit. 2: Ski Skin Sens. 1: Se	cause sensitisation by skin contact. toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. cause long-term adverse effects in the aquatic environment. ble risk of impaired fertility. aful: may cause lung damage if swallowed. ated exposure may cause skin dryness or cracking. issuing MSDS: Product safety s and acronyms: uropéen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of the Source Source of the Source Sourc
R43 May R50/53 Very R53 May R62 Possi R65 Harn R66 Repe Department Abbreviation ADR: Accord et Carriage of Dat Carriage of Dat (ADG: Internatic GHS: Globally EINECS: Europ ELINCS: Europ ELINCS: Europ ELINCS: Europ CAS: Chemical VOC: Volatile C LC50: Lethal de CL50: Lethal de Flam. Liq. 3: FI Skin Irrit. 2: Ski Skin Sens. 1: Se	cause sensitisation by skin contact. toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. cause long-term adverse effects in the aquatic environment. ble risk of impaired fertility. aful: may cause lung damage if swallowed. ated exposure may cause skin dryness or cracking. issuing MSDS: Product safety s and acronyms: uropéen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation of the Source Source of the Source Sourc
R50/53 Very R53 May R62 Possi R65 Harn R66 Repe Department Abbreviation Abbreviation ADR: Accord et Carriage of Dar MDG: Internation GHS: Globally ELINCS: Europ ELINCS: Europ ELINCS: Europ ELINCS: Europ ELINCS: Europ CAS: Chemical VOC: Volatile C UC50: Lethal da Flam, Liq. 3: Fl Skin Irrit. 2: Ski Skin Sens. 1: Se	toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. cause long-term adverse effects in the aquatic environment. ble risk of impaired fertility. aful: may cause lung damage if swallowed. ated exposure may cause skin dryness or cracking. issuing MSDS: Product safety s and acronyms: uropéen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation gerous Goods by Road) ional Maritime Code for Dangerous Goods mal Air Transport Association Harmonised System of Classification and Labelling of Chemicals
R53 May R62 Possi R62 Possi R65 Harn R66 Repe Department Abbreviation Abbreviation ADR: Accord et Carriage of Dar MDG: Internatio GHS: Globally EINECS: Europ ELINECS: Europ ELINECS: Europ ELINECS: Europ ELINECS: Europ CAS: Chemical VOC: Volatile C UCS0: Lethal da Flam, Liq. 3: Fl Skin Irrit. 2: Ski Skin Sens. 1: Se	cause long-term adverse effects in the aquatic environment. ble risk of impaired fertility. iful: may cause lung damage if swallowed. ated exposure may cause skin dryness or cracking. issuing MSDS: Product safety s and acronyms: iropéen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation igerous Goods by Road) ional Maritime Code for Dangerous Goods mal Air Transport Association Harmonised System of Classification and Labelling of Chemicals
R62 Possi R65 Harn R66 Repe Department Abbreviation ADR: Accord et Carriage of Dar MDG: Internati GHS: Globally EINECS: Europ ELINECS: Europ ELINECS: Europ CAS: Chemical VOC: Volatile CC50: Lethal da Flam, Liq. 3: Fl Skin Irrit. 2: Ski Skin Sens. 1: Se	ble risk of impaired fertility. tful: may cause lung damage if swallowed. ated exposure may cause skin dryness or cracking. issuing MSDS: Product safety s and acronyms: tropéen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation tgerous Goods by Road) ional Maritime Code for Dangerous Goods mal Air Transport Association Harmonised System of Classification and Labelling of Chemicals
R65 Harn R66 Repe Department of Abbreviation ADR: Accord et Carriage of Dar MDG: Internatio GHS: Globally of EINECS: Europ CAS: Chemical VOC: Volatile C USC: Lethal da Flam, Liq. 3: Fl Skin Irrit. 2: Ski Skin Sens. 1: Se	uful: may cause lung damage if swallowed. ated exposure may cause skin dryness or cracking. issuing MSDS: Product safety s and acronyms: uropéen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation igerous Goods by Road) ional Maritime Code for Dangerous Goods onal Air Transport Association Harmonised System of Classification and Labelling of Chemicals
R66 Reper Department Abbreviation ADR: Accord et Carriage of Dar (MDG: Internation (MDG: Internation (MDG: Internation (MDG: Internation (MDG: Internation (MDG: Constance) (MDG:	ated exposure may cause skin dryness or cracking. issuing MSDS: Product safety s and acronyms: rropéen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation agerous Goods by Road) ional Maritime Code for Dangerous Goods mal Air Transport Association Harmonised System of Classification and Labelling of Chemicals
Department Abbreviation ADR: Accord et Carriage of Dar MDG: Internati GHS: Globally EINECS: Europ ELINCS: Europ ELINCS: Europ CAS: Chemical VOC: Volatile CLSO: Lethal da Flam. Liq. 3: Fl Skin Irrit. 2: Ski Skin Sens. 1: Se	issuing MSDS: Product safety s and acronyms: wopéen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation agerous Goods by Road) ional Maritime Code for Dangerous Goods mal Air Transport Association Harmonised System of Classification and Labelling of Chemicals
Abbreviation ADR: Accord et Carriage of Dar MDG: Internatio GHS: Globally J EINECS: Europ ELINCCS: Europ CAS: Chemical VOC: Volatile C LC50: Lethal da Flam. Liq. 3: Fl Skin Irrit. 2: Ski Skin Sens. 1: Se	s and acronyms: rropéen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation igerous Goods by Road) ional Maritime Code for Dangerous Goods onal Air Transport Association Harmonised System of Classification and Labelling of Chemicals
Abbreviation ADR: Accord et Carriage of Dar MDG: Internatio GHS: Globally J EINECS: Europ ELINCCS: Europ CAS: Chemical VOC: Volatile C LC50: Lethal da Flam. Liq. 3: Fl Skin Irrit. 2: Ski Skin Sens. 1: Se	s and acronyms: rropéen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation igerous Goods by Road) ional Maritime Code for Dangerous Goods onal Air Transport Association Harmonised System of Classification and Labelling of Chemicals
ADR: Accord et Carriage of Dar IMDG: Internation GHS: Globally A EINECS: Europ ELINCS: Europ CAS: Chemical VOC: Volatile (LC50: Lethal and Flam. Liq. 3: Fl Skin Irrit. 2: Ski Skin Sens. 1: Se	uropéen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation agerous Goods by Road) ional Maritime Code for Dangerous Goods mal Air Transport Association Harmonised System of Classification and Labelling of Chemicals
MDG: Internat ATA: Internatic GHS: Globally J EINECS: Europ CAS: Chemical VOC: Volatile (LC50: Lethal dc LD50: Lethal d Flam. Liq. 3: Fl Skin Irrit. 2: Ski Skin Sens. 1: Se	ional Maritime Code for Dangerous Goods mal Air Transport Association Harmonised System of Classification and Labelling of Chemicals
ATA: Internatio GHS: Globally I EINECS: Europ ELINCS: Europ CAS: Chemical VOC: Volatile C VC50: Lethal da LD50: Lethal da Flam, Liq. 3: Fl Skin Irrit. 2: Ski Skin Sens. 1: Se	onal Air Transport Association Harmonised System of Classification and Labelling of Chemicals
GHS: Globally I EINECS: Europ ELINCS: Europ CAS: Chemical VOC: Volatile C VC50: Lethal cc LD50: Lethal dc Flam. Liq. 3: Fl Skin Irrit. 2: Ski Skin Sens. 1: Se	Harmonised System of Classification and Labelling of Chemicals
EINECS: Europ ELINCS: Europ CAS: Chemical VOC: Volatile C LC50: Lethal cc LD50: Lethal dc Flam. Liq. 3: Fl Skin Irrit. 2: Ski Skin Sens. 1: Se	
ELINCS: Europ CAS: Chemical VOC: Volatile (LC50: Lethal co LD50: Lethal do Flam. Liq. 3: Fl Skin Irrit. 2: Ski Skin Sens. 1: Se	ean Inventory of Fristing Commercial Chemical Substances
CAS: Chemical VOC: Volatile C LC50: Lethal co LD50: Lethal do Flam. Liq. 3: Fl Skin Irrit. 2: Ski Skin Sens. 1: Se	eun inveniory of Existing Commercial Chemical Substances
VOC: Volatile C LC50: Lethal co LD50: Lethal do Flam. Liq. 3: Fl Skin Irrit. 2: Ski Skin Sens. 1: Set	ean List of Notified Chemical Substances
LC50: Lethal co LD50: Lethal do Flam. Liq. 3: Fl Skin Irrit. 2: Ski Skin Sens. 1: Set	Abstracts Service (division of the American Chemical Society)
LD50: Lethal do Flam. Liq. 3: Fl Skin Irrit. 2: Ski Skin Sens. 1: Se	Organic Compounds (USA, EU)
Flam. Liq. 3: Fl Skin Irrit. 2: Ski Skin Sens. 1: Se	ncentration, 50 percent
Skin Irrit. 2: Ski Skin Sens. 1: Se	
Skin Sens. 1: Se	ammable liquids, Hazard Category 3
	n corrosion/irritation, Hazard Category 2
D	nsitisation - Skin, Hazard Category 1
	uctive toxicity, Hazard Category 2
	iration hazard, Hazard Category 1
	: Hazardous to the aquatic environment - AcuteHazard, Category 1
*	21: Hazardous to the aquatic environment - Chronic Hazard, Category 1
Sources Con	e 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4
* Data comp	e 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4 cawe Product Dossier No.97/108. Concawe Product Dossier Nn. 01/54.